Model identifier(s): Scar	n 1008						
Indirect heating functionality				No			
Direct heat output(kW)				6			
Indirect heat output(kW)				N.A			
Fuel				Preferred fuel (only one) Model identifier(s)			
Wood logs with moisture content \leftarrow 25%				Yes	No		
Compressed wood with moisture content < 12%				No	No		
Other woody biomass				No	No		
Anthracite and dry steam coal				No	No		
Hard coke				No	No		
Low temperature coke				No No			
Bituminous coal				No No			
Lignite briquettes				No	No	No	
Peat briquettes				No	No		
Blended fossil fuel briquettes				No	No	No	
Other fossil fuel				No	No	No	
Blended biomass and fossil fuel briquettes				No	No	No	
Other blend of biomass and solid fuel				No	No	No	
Characteristics when op	erating with	n the prefer	red fuel				
Seasonal space heating	energy effic	iency ης [%]		-			
Energy Efficiency Class				A+			
Energy Efficiency Index (EEI)				112,8			
Item	Symbol	Value	Unit	Item	Symbol	Value	Unit
Heat output				Use efficiency (NCV as re	eceived)	·	
Nominal heat output	P _{nom}	6	kW	Useful efficiency at nominal heat output	$\eta_{_{th,nom}}$	84	%
Minimum heat output (indicative)	P_{min}	N.A.	kW	Useful efficiency at minimum heat output (indicative)	$\eta_{_{\text{th, min}}}$	N.A.	%
Auxiliary electricity con	sumption			Type of heat output/roo	om temperat	ture control (select one
At nominal heat output	el _{max}	x,xxx	kW	single stage heat output, no room temperature control		[yes/no]	
At minimum heat output	el _{min}	x,xxx	kW	two or more manual stages, no room temperature control		[yes/no]	Yes
In standby mode	el _{sв}	X,XXX	kW	with mechanic thermostat room temperature control		[yes/no]	
				with electronic room temperature control		[yes/no]	
				with electronic room temperature control plus day timer		[yes/no]	
				with electronic room temperature control plus week timer		[yes/no]	
				Other control options (r	nultiple selec	tions possible	
				room temperature control, with presence detection		[yes/no]	
				room temperature control, with open window detection		[yes/no]	
			with distance control option		[yes/no]		
Permanent pilot flame p	ower requir	ement					
Pilot flame power requirement (if applicable)	P_{pilot}	N.A.	kW		, /		
Contact details	Name and	address of	the supplie	V/1	D Manager, Scan	A/S, Denmark	